

Safety Data Sheet

1 – PRODUCT IDENTIFICATION

PRODUCT NAME: Mineral Oil
PRODUCT TYPE: Liquid Metal Protector
PRODUCT NUMBER: M2323XXX (Last 3 characters vary with the packaging)
CONTROL NUMBER: M2323XXX

COMPANY: **Simoniz USA, Inc.**
201 Boston Turnpike
Bolton, CT 06043
1-800-227-5536
www.simoniz.com
EMERGENCY PHONE:..... (800) 255-3924 (CHEM-TEL)

2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:..... Not hazardous

SYMBOLS:.....

SIGNAL WORD:.....

HAZARD STATEMENT:.....

PRECAUTIONARY STATEMENTS:

PREVENTION:

RESPONSE:.....

STORAGE:

DISPOSAL:

3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT	C.A.S. NUMBER	CONCENTRATION (%)
Light Mineral Oil U.S.P.	8042-47-5	<=100

4 – FIRST-AID MEASURES

BREATHING (INHALATION):... If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.

SWALLOWING (INGESTION): . DO NOT INDUCE VOMITING! Drink a large quantity of water or milk. Do not attempt to give liquids to an unconscious person. Get immediate medical attention!

EYES: Flush eyes with a large quantity of fresh water for at least 15 minutes. If irritation persists, consult a physician.

Safety Data Sheet

SKIN (DERMAL): Flush from skin and clothing with large amounts of fresh water. If irritation persists, consult physician. Wash contaminated clothing before wearing.

5 – FIRE-FIGHTING MEASURES

FLASHPOINT:..... 355 degrees F. (ASTM D-92)

EXTINGUISHING MEDIA:..... Carbon dioxide, foam and/or dry chemical may be used.

SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this product is present should be equipped with an approved, fully enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:.....None known.

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities.

WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 – HANDLING and STORAGE

STORAGE: Store in a cool, well ventilated area. Avoid overheating or freezing.

HANDLING:..... Under normal use according to label instructions, special protection should not be necessary. Wear eye protection if product is likely to splash. Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION:Not usually needed in well-ventilated areas. If needed, use a NIOSH approved respirator.

PROTECTIVE CLOTHING:..... Special protection not usually needed. Wear eye protection if product is likely to splash.

ADDITIONAL MEASURES: Under normal use according to label instructions, special protection should not be necessary. Wear eye protection if product is likely to splash. Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery.

INGREDIENT	C.A.S. NUMBER	PEL
Light Mineral Oil U.S.P.	8042-47-5	5 mg/m3 (mist)

Safety Data Sheet

9 – PHYSICAL / CHEMICAL PROPERTIES

APPEARANCE & ODOR: Slightly viscous transparent liquid. No significant odor.
ODOR THRESHOLD: N/A
pH: N/A
MELTING POINT: N/A
FREEZING POINT: N/A
BOILING POINT:..... 550 degrees F.
BOILING POINT RANGE:..... N/A
FLASHPOINT:..... 355 degrees F. (ASTM D-92)
EVAPORATION RATE:..... N/A
FLAMMABILITY (solid/gas):.... N/A
EXPLOSION LIMITS: N/A
VAPOR PRESSURE: N/A
VAPOR DENSITY (AIR=1):..... Greater than 1.
SPECIFIC GRAVITY: 0.83
SOLUBILITY IN WATER: Insoluble.
PARTITION COEFFICIENT: N/A
AUTO-IGNITION TEMPERATURE:.....N/A
DECOMPOSITION TEMPERATURE:N/A
VISCOSITY: Water thin

10 – STABILITY and REACTIVITY

STABILITY: Stable under normal conditions.
HAZARDOUS DECOMP.: This product not known to polymerize.
INCOMPATIBILITY: Do not mix with other chemicals.

11 – TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY:..... Ingestion. Not likely to be inhaled in dangerous amounts.
LISTED CARCINOGEN: None over 0.1%.
MEDICAL CONDITION AGGRAVATED:.....May aggravate pre-existing dermatitis.
INHALATION:..... Not likely to be inhaled in hazardous amounts. Maintain adequate ventilation in the work area.
INGESTION:..... Large amounts can be irritating if ingested.
EYES: May cause eye irritation.
SKIN (DERMAL): Not likely to irritate. Prolonged exposure to undiluted product may cause irritation.
ACUTE TOXICITY* (ORAL):..... >2000 mg/kg
ACUTE TOXICITY* (DERMAL):..... >2000 mg/kg
ACUTE TOXICITY* (INHALATION):.....>20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/l (Dust)

*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 – ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

Safety Data Sheet

13 –DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

14 – TRANSPORTATION INFORMATION

PROPER SHIPPING NAME:..... Not D.O.T. regulated.

HAZARD CLASS:.....

UN/NA NUMBER:

PACKAGING GROUP :.....

15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION

NFPA HEALTH: 1

NFPA FLAMMABILITY:..... 1

NFPA REACTIVITY:..... 0

NFPA OTHER: None

ADDITIONAL:..... The information contained in this SDS is based on the data available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe- read this product safety information and pass it on to all persons who may be exposed to this product. Federal law requires it. This product and/or all of its components are either included on or exempt from the TSCA Inventory of Chemical Substances.

REVISION DATE:..... 09/26/15